



### Confident

The ability Laufenn provides is rooted in its uncompromising commitment to quality. When you go to work or head out to meet your friends... When you go on a trip or venture out to a new place... Laufenn is there with you everyday providing optimized performance and confidence.

### **Simple**

Laufenn is Simple – with no add-ons and nothing to spoil your driving experience. Committed to the basics, Laufenn offers a pure driving experience tailored to your needs.

### **Open-minded**

Laufenn refuses to accept an one-size-fits-all attitude. You know value when you see it and are determined to embrace new choices. Making Laufenn your choice is transforming your own value into a new trend.

### Sensible

Laufenn understands your refined taste. You have an extraordinary eye for quality – all at a glance. Your choices are always solid. Laufenn expresses your excellent style and represents your fashionable personality.




G FIT 45

## All Season Multi Performance Tyre













### **FEATURES**

- Hybrid Performance (Dry & Wet & Snow): Optimized driving performance under any weather condition

- Multi Safety (Braking & Steering):

Ensured safety with improved grip and steering control

- **High Grip Silica Compound :** Improved wet performance

### G FIT 45

Speed Symbol : T, H, V, W, Y

**S.W.**: 155-235 **Series**: 40-80

Rim Diameter: 13"-18" EU Label: Wet "B" / RR "C-E"



## **Hybrid Performance**







A tread pattern that guarantees optimum performance in various driving environments for every season under any weather conditions.

### Wider Aqua Grooves for Accelerated Drainage

The streamlined aqua lateral groove, which expands in area in the direction from the center to the shoulder (out), enhances drainage on snow-covered or rainy roads by accelerating the flow of water.





### Interlocking Center Block for High Speed Driving Stability

Blocks interlocked in the center secure the block stiffness. This provides drivers to feel the stability when driving at high speed on either dry or wet road.





oulder Center

Shoulder



# **Multi Safety**





A semi-groove design with sipes of various shapes applied to improve grip and steering performance in any weather condition.

### Angled Semi-Groove for Enhanced Grip and Stability

Semi-grooves with a customized design forming a fan-like shape from the ground for different steering angles.

- Provides stable grip by maximizing the edge effect of the grooves for different steering angles.



### 2 Different Type Sipes for Better Handling and Traction

Delivers satisfactory performance in both dry and snowy conditions due to the application of differently shaped sipes to the center and the shoulder.

- Operable in DRY/ICE conditions due to the high-density application of linear 3D sipes to the center.
- The "wave-type 2D sipes" with differential waves are applied to the shoulder area to maximize the edge effect to ensure enhanced snow grip, in addition to the interlocking effect to deliver improved cornering performance.








# **Innovative Silica Compound Technology**





### High Grip Silica Compound

This cutting-edge silica compound, the ingredient of which is from nature, provides improved performance on wet and snowy roads. The compound mixing technology of Hankook Tyre is applied.



The advanced mixing technology for silica and enhancing additives provides a better wet grip.

This new compound ensures rubber matrix flexibility in a wide range of temperature.







Wet road


Snow road

#### Better grip on wet and snow road

Maximising wet and snow grip by adopting highly refined resin.

### **TYRE STRUCTURE**

G FIT 4S adopts new technology for the safe and comfort driving evironments under any weather conditions.



## **AVAILABLE SIZES**

### 13 Inch

SRS	Size	PR	LI	SS	Remarks
80	155/80R13T	4	79	Т	

### 14 Inch

SRS	Size	PR	LI	SS	Remarks
60	185/60R14H	4	82	Н	
	155/65R14T	4	75	Т	
	165/65R14T	4	79	Т	
65	175/65R14H XL	4	86	Н	
	175/65R14T	4	82	Т	
	185/65R14H	4	86	Н	
70	165/70R14T	4	81	Т	
70	175/70R14T XL	4	88	Т	

### 15 Inch

SRS	Size	PR	LI	SS	Remarks
50	195/50R15V	4	82	V	
	185/55R15H XL	4	86	Н	
55	195/55R15V	4	85	V	
60	185/60R15H XL	4	88	Н	
	195/60R15V	4	88	V	
	165/65R15T	4	81	Т	
	175/65R15H	4	84	Н	
65	185/65R15H	4	88	Н	
	185/65R15T XL	4	92	Т	
65	195/65R15H	4	91	Н	
	195/65R15H XL	4	95	Н	
	195/65R15V	4	91	V	
	205/65R15H	4	94	Н	

### 16 Inch

SRS	Size	PR	LI	SS	Remarks
	195/55R16H XL	4	91	Н	
	195/55R16V	4	87	V	
FF	205/55R16V XL	4	94	V	
55	215/55R16V XL	4	97	V	
	215/55R16W XL	4	97	W	
	225/55R16W XL	4	99	W	
60	205/60R16V XL	4	96	V	
65	215/65R16V XL	4	102	V	

### 17 Inch

SRS	Size	PR	LI	SS	Remarks
	215/45R17Y XL	4	91	Y	
45	225/45R17W XL	4	94	W	
	235/45R17Y XL	4	97	Y	
	205/50R17W XL	4	93	W	
50	215/50R17W XL	4	95	W	
	225/50R17V XL	4	98	V	
50	225/50R17W XL	4	98	W	
55	225/55R17W XL	4	101	W	
55	235/55R17W XL	4	103	W	
60	215/60R17V	4	96	V	
60	225/60R17H	4	99	Н	
65	225/65R17H XL	4	106	Н	

### 18 Inch

SRS	Size	PR	LI	SS	Remarks
40	225/40R18Y XL	4	92	Y	
50	235/50R18V XL	4	101	V	

